

International Seminar on
Plant Systematics:
Present Status and Future Prospects

ISPS 2024

BOOK OF ABSTRACTS



Department of Botany
University of Calicut

Calicut University P.O., Malappuram District,
Kerala – 673635, India



INTERNATIONAL SEMINAR ON PLANT SYSTEMATICS: PRESENT STATUS AND FUTURE PROSPECTS

15 – 17 FEBRUARY 2024

Book of Abstracts



Organized by

Department of Botany, University of Calicut
Malappuram – 673 635, Kerala, India

Cosponsored by



CONTENTS

Kerala - a Glimpse	1
University of Calicut	1
Department of Botany	3
Keynote Lectures	11
Invited Lectures (Algae, Fungi, Lichens, Bryophytes & Pteridophytes)	17
Invited Lectures (Angiosperms)	31
Oral Presentations	57
Theme 1 - Biodiversity & Conservation Biology (Section A)	58
Theme 1 - Biodiversity & Conservation Biology (Section B)	75
Theme 2 - Floristics & Nomenclature	91
Theme 3 – Modern trends in Plant Systematics	105
Theme 4 – Phytogeography, Ecology & Pollination Biology	119
Theme 5 – Revisions & Monographs	129
Theme 6 - Taxonomy of Lower Groups (Section A)	143
Theme 6 - Taxonomy of Lower Groups (Section B)	153
Poster Presentations	165
Lower Groups (Algae, Fungi, Lichens, Bryophytes & Pteridophytes)	166
Angiosperms	177

conservation of floral diversity especially the threatened species in the Silent Valley buffer zone.

TO1-06

Resolving the challenges of niche specific conservation and ecorestoration through niche modelling and profiling for threatened trees and habitats

Devika M. Anilkumar* and K.H. Amitha Bachan

PG and Research Department of Botany, MES Asmabi College, P. O. Vemballur, Thrissur District, Kerala – 680 671, India

*Email: devikamadathil99@gmail.com

Assurance of niche specificity, Ecosystem-Based Adaptation (EbA), landscape and habitat integrity are the challenges of conservation and ecorestoration area prioritization of threatened species and habitats. The traditional approaches of *in-situ* and *ex-situ* conservation measures need to be equipped with conceptual and practical frameworks of ecology, the use of technology, and simple and practical procedures and protocols. Here a refined protocol for understanding more accurate prediction of potential geospatial locations based on bioclimatic niche modelling developed for the Western Ghats has been employed along with three-dimensional modelling of niche profiles of the target species, a new method of profiling of compositions to predict niche-specific potential conservation and restoration areas. Limitations of niche modelling are covered through incorporation of more geospatial layers on land use and vegetation in the QGIS platform. The niche profiles of the potential habitats provide details on species composition and its pattern within, while ensuring EbA and landscape integrity. The niche profiling contributed more to the factors of the Eltonian niche, reflecting the factors of species interaction within and providing provisions for integrating information on functional niche interactions such as seed dispersal and germination. This was proved as niche-specific Nature-Based Solution (NbS) for conservation and

ecorestoration planning and implementation to replace the offsetting traditional monoculture plantation practices adopted for tree plantations in the name of carbon trade and eco restoration. The method was experimented with a few species such as *Cryptocarya anamalayana* Gamble, *Prioria pinnata* (Roxb. ex DC.) Breteler and Western Ghats' endemic species *Goniothalamus* (Blume) Hook.f. & Thomson. Here we demonstrate this further through the conservation and ecorestoration planning of *Humboldtia vahliana* Wight, a threatened tree, endemic to the Western Ghats. The potential of the method is also measured against assessments of the threatened status of trees using IUCN criteria.

